



---

## **Electronic Pipettors**

### **Proline Electronic Pipettors.**

The most popular range of electronic pipettes in the world today which has become the industry standard.

### **ePet Electronic Pipettors.**

An economy version of the Proline, with direct charging. A good place to start with electronic pipetting!

### **eLINE Electronic Pipettors.**

A brand new top of the range electronic pipette, with many features, superb performance and ergonomics. Once you have tried one of these pipettes, you'll never want another!

### **ViscoPet Electronic Pipettors.**

Specifically designed for routine work in the public health or food sector, this electronic pipette uses disposable capillary tubes.

## Liquid handling

### eLINE

The **Biohit eLINE** electronic pipettors offer you the latest technology and innovations in the field of hand held liquid handling devices. The attractive and ergonomic design of the eLINE pipettors together with electronic tip ejection operation take the effort out of pipetting and reduces the risk of repetitive strain injuries (RSI) that are common in mechanical pipetting.



Product	Cat. no	Inc.	Test Vol	Inacc.	Imprec.
<b>eLINE 0.2 – 10 µl 1-Channel</b>	730020	0.1 µl	10 µl	0.90 %	0.40 %
<b>eLINE 5 - 120 µl 1-Channel</b>	730040	0.5 µl	100 µl	2.50 %	1.80 %
<b>eLINE 10 - 300 µl 1-Channel</b>	730060	1.0 µl	300 µl	0.40 %	0.15 %
<b>eLINE 50 - 1000 µl 1-Channel</b>	730080	5.0 µl	1000 µl	0.40 %	0.15 %
<b>eLINE 100 - 5000 µl 1-Channel</b>	730100				
<b>eLINE 0.2 – 10 µl 8-Channel</b>	730320	0.05 µl	10 µl	0.90 %	0.50 %
<b>eLINE 5 - 120 µl 8-Channel</b>	730340	0.5 µl	120 µl	0.50 %	0.20 %
<b>eLINE 10 - 300 µl 8-Channel</b>	730360	1 µl	300 µl	0.50 %	0.20 %
<b>eLINE 50 - 1200 µl 8-Channel</b>	730390	5 µl	1200 µl	0.50 %	0.20 %
<b>eLINE 0.2 - 10 µl 12-Channel</b>	730420	0.05 µl	10 µl	0.90 %	0.50 %
<b>eLINE 5 - 120 µl 12-Channel</b>	730440	0.5 µl	120 µl	0.50 %	0.20 %
<b>eLINE 10 - 300 µl 12-Channel</b>	730460	1 µl	300 µl	0.50 %	0.20 %
<b>eLINE 50 - 1200 µl 12-Channel</b>	730490	5 µl	1200 µl	0.50 %	0.20 %

## Liquid handling

### Electronic Pipettors

#### ePET



**Biohit ePet** Pipettors offer a cost-effective electronic pipetting alternative by using a direct charging system which requires no charging stand. 4 different adapters are available. Please replace the X with one of the following: 1=Euro, 2=U.S, 3=U.K, 4=Japan

Product	Cat. no	Inc.	Test Vol	Inacc.	Imprec.
<b>ePET® 0.2 - 10 µl 1-Channel</b>	71052XET	0.1 µl	10 µl	0.90 %	0.50 %
<b>ePET® 50 - 1000 µl 1-Channel</b>	71002XET	5 µl	1000 µl	0.40 %	0.15 %
<b>ePET® 5 - 100 µl 1-Channel</b>	71001XET	1 µl	100 µl	0.40%	0.15%
<b>ePET® 50 - 1200 µl 1-Channel</b>	71004XET	5 µl	1200 µl	0.40 %	0.15 %
<b>ePET® 100 - 5000 µl 1-Channel</b>	71050XET	50 µl	5000 µl	0.50 %	0.15 %
<b>ePET ® 0.2 - 10 µl 8-Channel</b>	71020XET	0.1 µl	10 µl	0.90 %	0.50 %
<b>ePET ® 5 - 100 µl 8-Channel</b>	71021XET	1 µl	100 µl	0.50 %	0.20 %
<b>ePET ® 25 - 250 µl 8-Channel</b>	71020XET	5 µl	250 µl	0.40 %	0.15 %
<b>ePET ® 50 - 1200 µl 8-Channel</b>	71080XET	10 µl	1200 µl	0.50 %	0.15 %
<b>ePET ® 0.2 - 10 µl 12-Channel</b>	71030XET	0.1 µl	10 µl	0.90 %	0.50 %
<b>ePET ® 5 - 100 µl 12-Channel</b>	71031XET	1 µl	100 µl	0.50 %	0.20 %
<b>ePET ® 25 - 250 µl 12-Channel</b>	71032XET	5 µl	250 µl	0.40 %	0.15 %
<b>ePET ® 50 - 1200 µl 12-Channel</b>	71081XET	10 µl	1200 µl	0.80 %	0.15 %

## Liquid handling

### Electronic Pipettors

#### Proline

##### Biohit Proline

Electronic Pipettes offer effortless and rapid pipetting with high levels of accuracy and precision. Each pipettor is supplied with QC- and calibration certificate, comprehensive instructions and is manufactured according to ISO 9001. All products also carry CE, TUV (GS) and DIN 12650 (H-Label) certificates.



Product	Cat. no	Inc.	Test Vol	Inacc.	Imprec.
<b>Proline® 0.2 - 10 µl, Electronic 1-Channel</b>	710520	0.1 µl	10 µl	0.90 %	0.50 %
<b>Proline® 5 - 100 µl, Electronic 1-Channel</b>	710010	1 µl	100 µl	0.40 %	0.15 %
<b>Proline® 10 - 250 µl, Electronic 1-Channel</b>	710030	5 µl	250 µl	0.40 %	0.15 %
<b>Proline® 10 - 500 µl, Electronic 1-Channel</b>	710100	5 µl	500 µl	0.40 %	0.15 %
<b>Proline® 50 - 1000 µl, Electronic 1-Channel</b>	710020	10 µl	1000 µl	0.40 %	0.15 %
<b>Proline® 50 - 1200 µl, Electronic 1-Channel</b>	710040	5 µl	1200 µl	0.40 %	0.15 %
<b>Proline® 100 - 5000 µl, Electronic 1-Channel</b>	701500	50 µl	5000 µl	0.50 %	0.15 %
<b>Proline® 5 - 100 µl, Electronic 4-Channel</b>	710410	1 µl	100 µl	0.50 %	0.20 %
<b>Proline® 25 - 250 µl, Electronic 4-Channel</b>	710420	5 µl	250 µl	0.40 %	0.15 %
<b>Proline® 0.2 - 10 µl, Electronic 8-Channel</b>	710200	0.1 µl	10 µl	0.90 %	0.50 %
<b>Proline® 5 - 100 µl, Electronic 8-Channel</b>	710210	1 µl	100 µl	0.50 %	0.20 %
<b>Proline® 25 - 250 µl, Electronic 8-Channel</b>	710220	5 µl	250 µl	0.40 %	0.15 %
<b>Proline® 50 - 1200 µl, Electronic 8-Channel</b>	710800	10 µl	1200 µl	0.50 %	0.15 %
<b>Proline® 0.2 - 10 µl, Electronic 12-Channel</b>	710300	0.1 µl	10 µl	0.90 %	0.50 %
<b>Proline® 5 - 100 µl, Electronic 12-Channel</b>	710310	1 µl	100 µl	0.50 %	0.20 %
<b>Proline® 25 - 250 µl, Electronic 12-Channel</b>	710320	5 µl	250 µl	0.40 %	0.15 %
<b>Proline® 50 - 1200 µl, Electronic 12-Channel</b>	710810	10 µl	1200 µl	0.80 %	0.15 %
<b>Battery for one Proline® Electronic Pipettor</b>					

## Liquid handling

### Electronic Pipettors

#### Viscopet

The **Biohit Viscopet** 50-1200ul Electronic Pipettor has been specially designed to meet the requirements of those laboratories where it is necessary to pipette viscous liquids with high levels of accuracy.



Product	Cat. no	Inc.	Test Vol	Inacc.	Imprec.
<b>ViscoPet® 50 -1200µl</b>	710830	5µl	1200µl	2.0%	0.3%
<b>Battery Pack NiMH, for one ViscoPet®</b>					